

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 306 319 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

02.05.2003 Bulletin 2003/18

(51) Int Cl.7: B65D 85/50

(21) Application number: 02079455.8

(22) Date of filing: 24.10.2002

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 24.10.2001 NL 1019223

(71) Applicant: Pagter & Partners International B.V.
4670 AA Dinteloord (NL)


(72) Inventors:

- De Pagter, Janus Adriaan Willem
4671 AB Dinteloord (NL)
- De Haan, Nicoline
4819 BH Breda (NL)
- Eeuwes, Mieke Geertruida Margaretha
3028 XP Rotterdam (NL)

(74) Representative: van Westenbrugge, André et al
Nederlandsch Octrooibureau
P.O. Box 29720
2502 LS The Hague (NL)

(54) Packaging for long-stemmed flowers

(57) Packaging for long-stemmed flowers having little or no leaf comprises one or more holders for accommodating water, one or more display elements supported above said holder for displaying the flowers, which display elements have an upright wall with openings for allowing the stems of the flowers to pass through, and means for positioning the display elements such that the flower stems that extend through the said openings extend into the holders. One or more side walls are joined to the wall provided with openings, which side walls are at an angle to the wall provided with openings and bear on an essentially horizontal support component that bears on or forms part of a holder or bears on or forms part of a part fitted around the holder and increasing the stability, such as a container or an extender rack placed on top of a container. The support component can also consist of flanges which, in the uppermost part of a container or extender rack placed thereon, extend inwards from the wall thereof.



Description

[0001] The invention relates to a packaging for long-stemmed flowers having little or no leaf, in particular gerberas, anthuriums and arum lilies, comprising:

- at least one holder for accommodating water,
- one or more display elements supported above said holder for displaying the flowers, which display elements have an upright wall with openings for allowing the stems of the flowers to pass through,
- and means for positioning the display elements such that the flower stems that extend through the said openings extend into the said holder.

[0002] Packaging of this type is disclosed in International Patent Application WO 00/73171 in the name of Pagter & Partners International B.V.

[0003] In this known embodiment each display element consists of a rectangular tube that is provided at the corners with flanges projecting obliquely outwards that, for positioning said tube, are pushed into cuts which have been made in projections that are oriented upwards and form part of a platform bearing on a container. In another embodiment said flanges have stepped cut-outs at the bottom and the stepped parts of said flanges bear on the stepped outside edge of a vase. These embodiments have the disadvantage that fitting the display elements takes some time and care.

[0004] The aim of the invention is to avoid this disadvantage and to this end the packaging mentioned in the preamble is characterised in that one or more side walls are joined to the wall provided with openings, which side walls are at an angle to the wall provided with openings and bear on an essentially horizontal support component that bears on or forms part of said holder or bears on or forms part of a part fitted around the holder and increasing the stability, such as a container or an extender rack placed on top of a container.

[0005] It is pointed out that rectangular gerbera boxes having a base provided with openings and four upright side walls are known and are available commercially. The stems protrude through the openings and the flowers are on or just above the top surface of the base. In the known use of these packagings the boxes are positioned horizontally on top of one another and the stems do not extend into water. Preferably, use is made of such commercially available boxes for the display elements, the display elements consisting of or being derived from these boxes, the base of which forms the upright wall provided with openings and one or more side walls of which bear on a said essentially horizontal support component.

[0006] With the packaging according to the invention the boxes can easily be placed vertically.

[0007] Said horizontal support component can consist of a separate platform that bears on a container or an extender rack placed on top of a container, which

platform is provided with at least one opening for allowing the flower stems to pass through.

[0008] The support component can also consist of flanges which, in the uppermost part of a container or extender rack placed thereon, extend inwards from the wall thereof.

[0009] If the boxes are placed on a platform resting on a container or extender rack, it is preferable that the platform is provided with upright parts to restrain two boxes located opposite one another some distance apart, the platform is provided with parts oriented downwards to position the platform with respect to the top edge of the container or extender rack and means are added in order essentially to maintain the distance between the two boxes.

[0010] The means to enable two boxes located opposite one another to be held some distance apart can consist, for example, of cardboard or plastic strips that are stapled to the uppermost side walls of the two boxes or the vertical side walls of the two boxes. It would also be possible to make use of rigid strips with clamping projections oriented downwards which are clicked over vertical side walls of two boxes to clamp them. These rigid strips can be fastened with respect to the platform by means of, for example, an elastic band. The invention is not restricted to the design of the spacers.

[0011] Preferably the said holder consists of a flexible bag that is fixed by its top edge.

[0012] The invention will now be explained in more detail with reference to the figures.

[0013] Figure 1 shows a perspective view of gerbera packaging according to the invention in the disassembled state.

[0014] Figure 2 shows a perspective view of gerbera packaging according to the invention in the state ready for use.

[0015] Figure 3 shows a perspective view of a platform used in the packaging according to Figures 1 and 2.

[0016] Figure 4 shows a plan view of the packaging according to Figures 1 to 3 without gerbera boxes.

[0017] Figure 5 shows a section along the line V - V in Figure 4, the bottom part of the packaging (container) being omitted.

[0018] The packaging shown in Figures 1 and 2 for gerberas or other flowers with long stems and little or no leaf comprises a holder 1 in the form of a flexible bag for accommodating water, a container 2 placed on the ground, an extender rack 3 placed on top of this container 2, a platform 4 bearing on the top edge of the extender rack 3 and two gerbera boxes 5a, 5b, which serve as display elements.

[0019] Openings 7 have been made in the base 6 of the boxes 5a, 5b, through which openings the flower stems are inserted from the inside of the boxes into the water that is contained in the holder 1. The boxes 5a, 5b are known commercially available boxes which, apart from said base 6, have two short side walls 8a, 8b opposite one another and two long side walls 9a, 9b op-

posite one another. Incidentally, it would also be possible for one or more of the three side walls 8b, 9a, 9b of the boxes 5a, 5b not to be present. Thus, a display element can bear solely on the bottom edges of the long side walls 9a, 9b, one or both short side walls 8a, 8b being removed, or a display element can bear solely on the short side wall 8a, one or more of the other side walls 8b; 9a, 9b being removed.

[0020] An opening 10 has been made in the platform 4 and directly below this opening the top edge of the holder 1 is fixed to the platform 4, for example by means of a ring over which the top edge of the holder 1 has been wrapped and which has been fastened to the platform, or the platform has - bordering the opening therein - two L-shaped lips opposite one another, over which lips the top edge of the holder 1 has been wrapped and fastened by means of an elastic band. Various ways of fixing a flexible holder are shown and described in said International Patent Application WO 00/73171.

[0021] The platform 4 has an upright flange 12 and 13, respectively, along each of the short and long sides and these flanges ensure that the boxes 5a, 5b, i.e. the display elements derived therefrom, placed on the platform 4 are not able to move beyond the maximum periphery of the extender rack 3. In order to maintain a gap between the boxes 5a, 5b, strips 15 are fixed to the side walls 9a, 9b or to the top walls 8b of the boxes, for example by staples. The platform 4 is provided with a flange 14, oriented downwards, on the two short sides. These flanges extend into the extender rack and thus position the platform 4.

[0022] Various variants are possible within the context of the invention. Instead of the combination of a relatively small container 2 and an extender rack 3 it is possible to use a large container. Instead of one or more flexible holders 1 it is possible to use one or more holders made of rigid material. In the latter case the separate platform 4 could be replaced by a support component for the boxes 5a, 5b that is formed by flanges which extend in the uppermost part of the extender rack 3 (or in the case of a large container in the uppermost part of that container) from the wall thereof towards the inside and leave a gap free to allow the holder 1 to pass through. In the case of a rigid holder or rigid holders it is even possible to let the support component for supporting the boxes 5a, 5b form part of the rigid holders.

[0023] The invention is not restricted to the use of commercially available gerbera packaging boxes from which one or more side walls have optionally been removed, but this embodiment is preferred.

Claims

1. Packaging for long-stemmed flowers having little or no leaf, in particular gerberas, anthuriums and arum lilies, comprising:

- at least one holder (1) for accommodating water,
- one or more display elements (5a, 5b) supported above said holder for displaying the flowers, which display elements have an upright wall (6) with openings (7) for allowing the stems of the flowers to pass through,
- and means (4) for positioning the display elements (5a, 5b) such that the flower stems that extend through the said openings extend into the said holder,

characterised in that one or more side walls are joined to the wall (6) provided with openings, which side walls (8a; 9a, 9b) are at an angle to the wall (6) provided with openings and bear on an essentially horizontal support component (4) that bears on or forms part of said holder or bears on or forms part of a part fitted around the holder and increasing the stability, such as a container or an extender rack (3) placed on top of a container (2).

2. Packaging according to Claim 1, **characterised in that** the display elements (5a, 5b) consist of or are derived from open boxes, the base of which forms the upright wall (6) provided with openings and one or more side walls (8a; 9a, 9b) of which bear on a said essentially horizontal support component (4).
3. Packaging according to Claim 1 or 2, **characterised in that** said support component consists of a separate platform (4) that bears on a container or an extender rack (3) placed on top of a container (2), which platform is provided with at least one opening (10) for allowing the flower stems to pass through.
4. Packaging according to Claim 1 or 2, **characterised in that** said support component consists of flanges which, in the uppermost part of a container or extender rack placed thereon, extend inwards from the wall thereof.
5. Packaging according to Claim 3, **characterised in that** the platform (4) is provided with upright parts (12, 13) to restrain two boxes located opposite one another some distance apart, **in that** the platform is provided with parts (14) oriented downwards to position the platform with respect to the top edge of the container or extender rack and **in that** means (15) are added in order essentially to maintain the distance between the two boxes.
6. Packaging according to one of the preceding claims, **characterised in that** said holder (1) consists of a flexible bag that is fixed by its top edge to a platform.

Fig 1




Fig 2




Fig 3




Fig 4






Fig 5





(19)

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 306 319 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:

28.05.2003 Bulletin 2003/22

(51) Int Cl.7: B65D 85/50

(43) Date of publication A2:

02.05.2003 Bulletin 2003/18

(21) Application number: 02079455.8

(22) Date of filing: 24.10.2002

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 24.10.2001 NL 1019223

(71) Applicant: Pagter & Partners International B.V.
4670 AA Dinteloord (NL)

(72) Inventors:

• De Pagter, Janus Adriaan Willem
4671 AB Dinteloord (NL)


• De Haan, Nicoline
4819 BH Breda (NL)

• Eeuwes, Mieke Geertruida Margaretha
3028 XP Rotterdam (NL)

(74) Representative: van Westenbrugge, André et al
Nederlandsch Octrooibureau
P.O. Box 29720
2502 LS The Hague (NL)

(54) Packaging for long-stemmed flowers

(57) Packaging for long-stemmed flowers having little or no leaf comprises one or more holders (1) for accommodating water, one or more display elements (5a, 5b) supported above said holder for displaying the flowers, which display elements have an upright wall with openings (7) for allowing the stems of the flowers to pass through, and means for positioning the display elements such that the flower stems that extend through the said openings extend into the holder (1). One or more side walls (8a, 8b) are joined to the wall provided with openings, which side walls are at an angle to the wall provided with openings and bear on an essentially horizontal support component that bears on or forms part of a holder or bears on or forms part of a part fitted around the holder and increasing the stability, such as a container or an extender rack (3) placed on the top of a container. The support component can also consist of flanges (14) which, in the uppermost part of a container or extender rack placed thereon, extend inwards from the wall thereof.





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 07 9455

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	WO 99 57040 A (PAGTER & PARTNERS INT ; HELSLOOT JOANNES CAROLUS ANTON (NL); PAGTER) 11 November 1999 (1999-11-11) * the whole document *	1-6	B65D85/50
A, D	WO 00 73171 A (HELSLOOT JOANNES CAROLUS ANTON ; PAGTER & PARTNERS INTERNAT B V (NL)) 7 December 2000 (2000-12-07) * the whole document *	1-6	
A	NL 8 600 618 A (SJEFF TRIMBACH VERPAKKING B V) 1 October 1987 (1987-10-01) * the whole document *	1-6	
A	WO 99 52792 A (WHITE STEPHEN ; TESSELAAR NOMINEES PTY LTD (AU)) 21 October 1999 (1999-10-21) * the whole document *	1-6	
A	NL 8 105 215 A (WIVA BV) 16 June 1983 (1983-06-16) * the whole document *	1-6	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			B65D A01G
Place of search THE HAGUE		Date of completion of the search 24 January 2003	Examiner Pernice, C
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document</p> <p>T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons &: member of the same patent family, corresponding document</p>			

EPO FORM 1503 03/82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 07 9455

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

24-01-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9957040	A	11-11-1999	NL 1009100 C2	09-11-1999
			AU 736467 B2	26-07-2001
			AU 3852799 A	23-11-1999
			BR 9910220 A	09-01-2001
			CN 1300265 T	20-06-2001
			EP 1075437 A1	14-02-2001
			JP 2002513721 T	14-05-2002
			WO 9957040 A1	11-11-1999
			PL 343939 A1	10-09-2001
			RU 2189339 C2	20-09-2002
			TR 200003278 T2	21-03-2001
			TW 407129 B	01-10-2000
WO 0073171	A	07-12-2000	NL 1012164 C2	28-11-2000
			AU 751373 B2	15-08-2002
			AU 5255200 A	18-12-2000
			BR 0010964 A	19-03-2002
			CN 1351569 T	29-05-2002
			EP 1181220 A1	27-02-2002
			HU 0201430 A2	28-08-2002
			WO 0073171 A1	07-12-2000
			TR 200103420 T2	23-09-2002
			TW 436453 B	28-05-2001
NL 8600618	A	01-10-1987	NONE	
WO 9952792	A	21-10-1999	AU 755038 B2	28-11-2002
			AU 3131499 A	01-11-1999
			WO 9952792 A1	21-10-1999
			EP 1107923 A1	20-06-2001
			US 6474017 B1	05-11-2002
NL 8105215	A	16-06-1983	NONE	

EPO FORM P449

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)